



Elysium Coffee Machine





MAIN FEATURES

- Single boiler 8 liters with a heating
- Element 300 watts
- Shot timer for each group
- Pre-infusion system
- Automatic washing cycle
- Timer on/off daily
- Electronic dosing by volumetric sensor
- Full programming PID system
- Oled Display
- Mechanical touch pad for each group
- Rotary pump
- Customizable machine
- Double steam arms
- Single water arm



Commercial automatic coffee machine with 2 groups, with a display to show the main information like boiler temperature and malfunctions.

Pump with bypass regulated at 9 bars able to handle the two groups simultaneously.

The machine is equipped also with a panel for each group to select different doses (single coffee, double, short or long and manual) also to program all the function like boiler temperature and so on.

The working area under the deck is illuminated by led. The machine basically is built to work with 230 volts single phase on request can be modified to work with 380 volts 3 phases.

The machine is also equipped with 2 manually operated steam wands and a button-operated water wand. The main board controls all functions such as boiler temperature (PID control), doses, boiler filling, daily timer on/off, programmable pre-infusion, programmable washing cycle and errors.

Commercial espresso machine 2 groups with standard group with 58 mm portafilter diameter

Technical Features:	
45 cm	Height
66 cm	Widht
58 cm	Depth
51 kg	Weight
230/240 - 50Hz	Voltage
115/220 - 60 Hz	
3300 watt	Power



M & V S.r.l.

Via Malatesta 39B – 80049 Somma Vesuviana – Napoli - IT Ph. +39 081 555.24.28 | e-mail: info@mevsrl.net | www.elcor.it